

## Woven Roving Fabric

Woven roving fabric is composed of direct rovings woven into a fabric or tape. It is designed to be compatible with multiple resin systems and can be customized to meet specific product requirements.

<b>Woven Roving Fabric</b>											
PRODUCT NAME	LOCAL PRODUCT CODE	GLOBAL PRODUCT CODE	WOVEN WEIGHT (OZ/YD2)	WOVEN WEIGHT (GSM)	MAT WEIGHT (OZ/FT <sup>2</sup> )	MAT WEIGHT (GSM)	STANDARD WIDTHS (CM)	STANDARD WIDTHS (INCHES)	ROLL LENGTH (YARDS)	CONSTRUCTION	AVAILABILITY
Woven Roving	WR08/3010	WR0270	8.94	270	-	-	97, 127, 152	38, 50, 60	135	5 x 4 (1x1)	North America
	WR10/3011	WR0340	10.01	340	-	-	97, 127, 152	38, 50, 60	150	5 x 2 (hot melt weft)	North America
	WR17/3600	WR580	17.47	580	-	-		87, 97, 110	234	5x4 (2x1)	North America
	WR18/3600	WR610	17.88	610	-	-	97, 127, 152	38, 50, 60	130	5 x 4 (2x1)	North America
	WR18/3010	WR610	19.02	610	-	-	97, 127, 152	38, 50, 60	120	5 x 4 (1x1)	North America
	WR18A/3010	WR610A	19.02	610	-	-	97, 127, 152	38, 50, 60	120	5x4 (1x1 hot melt leno)	North America

## Woven Roving Fabric

PRODUCT NAME	LOCAL PRODUCT CODE	GLOBAL PRODUCT CODE	WOVEN WEIGHT (OZ/YD2)	WOVEN WEIGHT (GSM)	MAT WEIGHT (OZ/FT <sup>2</sup> )	MAT WEIGHT (GSM)	STANDARD WIDTHS (CM)	STANDARD WIDTHS (INCHES)	ROLL LENGTH (YARDS)	CONSTRUCTION	AVAILABILITY
Woven Roving continued	WR22/3601	WR0750	22.29	750	-	-		97, 100, 110, 131	167	5 x 4 (2x1)	North America
	WR24/3600	WR810	24.71	810	-	-	97, 127, 152	38, 50, 60	100	5 x 4 (2x1)	North America
	WR24/3010	WR0810	24.5	810	-	-	97, 127, 152	38, 50, 60	90	5 X 4 (1x1)	North America
	WR24A/3010	WR0810	24.5	810	-	-	97, 127, 152	38, 50, 60	90	5 x 4 (1 x1 hot-melt leno)	North America
	T111A 600 g/m <sup>2</sup>	-	17.70	600	-	-	140	55	50	5 x 3	South America
	T111A 800 g/m <sup>2</sup>	-	23.61	800	-	-	140	55	50	5 x 4	South America
	RT300	WR0300	-	300	-	-	125/100	-	-	Woven	Europe
	RT350	WR0350	-	350	-	-	125/100	-	-	Woven	Europe
	RT490	WR0490	-	490	-	-	125/100	-	-	Woven	Europe
	RT500	WR0500	-	500	-	-	125/100	-	-	Woven	Europe
RT600	WR0600	-	600	-	-	125/92	-	-	Woven	Europe	
RT800	WR0800	-	800	-	-	125/100	-	-	Woven	Europe	

\*Above products are the most common. Other variations are available upon request.

## Woven Roving Fabric

PRODUCT NAME	LOCAL PRODUCT CODE	GLOBAL PRODUCT CODE	WOVEN WEIGHT (OZ/YD2)	WOVEN WEIGHT (GSM)	MAT WEIGHT (OZ/FT <sup>2</sup> )	MAT WEIGHT (GSM)	STANDARD WIDTHS (CM)	STANDARD WIDTHS (INCHES)	ROLL LENGTH (YARDS)	CONSTRUCTION	AVAILABILITY
Stitchmat	SM1810/3600	WR0610/S300	18	610	1	300	97, 127, 152	38, 50, 60		Woven + Mat	North America
	SM1810/3002	WR0610/S300	18.32	610	1	300	97, 127, 152	38, 50, 60	70	Woven + Mat	North America
	SM1815/3600	WR0610/S450	17.61	610	1.5	450	97, 127, 152	38, 50, 60	60	Woven + Mat	North America
	SM1815/3001	WR0610/S450	18.3	610	1.5	450	97, 127, 152	38, 50, 60	70	Woven + Mat	North America
	SM2415/3600	WR810/S450	24.67	810	1.5	450	97, 127, 152	38, 50, 60	55	Woven + Mat	North America
	SM2415/3000	WR810/S450	24.35	810	1.5	450	97, 127, 152	38, 50, 60	61	Woven + Mat	North America
	SM3615/3600	WR1221/S450	36.42	1221	1.5	450	97, 127, 152	38, 50, 60	50	Woven + Mat	North America

## Woven Roving Fabric

PRODUCT NAME	LOCAL PRODUCT CODE	GLOBAL PRODUCT CODE	WOVEN WEIGHT (OZ/YD2)	WOVEN WEIGHT (GSM)	MAT WEIGHT (OZ/FT <sup>2</sup> )	MAT WEIGHT (GSM)	STANDARD WIDTHS (CM)	STANDARD WIDTHS (INCHES)	ROLL LENGTH (YARDS)	CONSTRUCTION	AVAILABILITY
Hot-Melt Uni	WU13/3001	WRX0440	13.25	440	-	-	97, 127, 152	38, 50, 60	135	Uni (hot-melt weft)	North America
	WU22/3001	WRX0746	21.28	746	-	-	97, 127, 152	38, 50, 60	70	Uni (hot-melt weft)	North America
	WU26/3002	WRX0882	26.59	882	-	-	97, 127, 152	38, 50, 60	50	Uni (hot-melt weft)	North America
FlowRo™ Fabric	FR2420/3001	WR0800/UF600	24.1	800	2	600	127, 152	50, 60	40	Woven + CFM	North America
Biply	BP6030	-	17.70	600	1	300	140	55	30	Woven + Mat	South America
	BP6045	-	17.70	600	1.5	450	140	55	30	Woven + Mat	South America
	BP8030	-	23.61	800	1	300	140	55	30	Woven + Mat	South America
	BP8045	-	23.61	800	1.5	450	140	55	30	Woven + Mat	South America

\*Above products are the most common. Other variations are available upon request.

## Woven Roving Fabric

PRODUCT NAME	LOCAL PRODUCT CODE	GLOBAL PRODUCT CODE	WOVEN WEIGHT (OZ/YD2)	WOVEN WEIGHT (GSM)	MAT WEIGHT (OZ/FT <sup>2</sup> )	MAT WEIGHT (GSM)	STANDARD WIDTHS (CM)	STANDARD WIDTHS (INCHES)	ROLL LENGTH (YARDS)	CONSTRUCTION	AVAILABILITY
Complexes	RT300/S300	WR0300/S300	300	300	-	-	125	-	-	Woven + Mat	Europe
	RT500/S300	WR0500/S300	500	300	-	-	125	-	-	Woven + Mat	Europe
	RT500/S450	WR0500/S450	500	450	-	-	125	-	-	Woven + Mat	Europe
	RTK500/S450	WRt0500-1/3/S450	500	450	-	-	125	-	-	Woven + Mat	Europe
	RT600/S300	WR0600/S300	600	300	-	-	125	-	-	Woven + Mat	Europe
	RT800/S300	WR0800/S300	800	300	-	-	125	-	-	Woven + Mat	Europe
	RE1500/S300	WRt1500-1/3/S300	1500	300	-	-	125	-	-	Woven + Mat	Europe

\*Above products are the most common. Other variations are available upon request.